

**5M CRI 80 Strip and Driver Kit IP67 LED Strip 6500K 6W/M 40W (12V) IP20  
LED driver included**

*Partcode: ILSTWHIC065W / Page: 1*



This Integral LED 5M Strip and Driver Kit combines our 5 meter IP67 cool daylight LED strip and 40W 12V constant voltage LED driver.

Integral LED cool daylight LED strip has 60 LEDs per metre and is constructed using high quality materials to ensure a consistent light and colour across the strip. This LED strip is IP67 rated and is suitable for indoor and outdoor applications. Each 5m reel is supplied with an easy-to-follow installation guide and 20x mounting clips. Additional accessories are available, to suit specific installation requirements. The kit also comes with Integral LED 40W 12V constant voltage LED driver operates 200-240VAC input range. The LED driver features an ultra slim, IP20 rated casing that helps to provide an easy installation and smart finish, ideal for indoor use. When installing outdoors, please make sure the driver is used with appropriate outdoor fitting.

**Product Details**

Partcode: ILSTWHIC065W

Check Code: 034830

Range Name: 5M LED Strip And Driver Kit

Product Type: White strip

Warranty: 3 Years

CE / RoHS: Yes

**Physical Data**

Material: Strip: PCB / Silicone, Driver: Plastic Shell

Construction: LED surface mounted on to strip

**Physical Data**

Length: 5m

Width: 10mm

Weight (Unpackaged Single Unit): 596g

Strip Cut Points: 50mm

**Electrical Data**

Voltage Range: 200-240V

Power Consumption Per Meter: 6.0W/m

Driver included: Yes

Electric Current: AC

Frequency Range: 50 Hz

Dimming: Dimmable with compatible dimmers

Protection Function: Short Circuit, overload and overheating protection on driver

LVD Certified: Yes

**Light Data**

Lumens per Watt: 50.0lm/W

Lumens per Meter: 350lm/M

LEDs per meter: 60/m

Beam Angle: 115°

Correlated Colour Temperature (CCT): 6,500k

Colour Temperature: Cool Daylight

Colour Type: Single

Colour Rendering Index (CRI):  $\geq 80$

LED Type: Surface mounted device (SMD)

LED Size: 3528

Lifetime: 13,000 hrs

*Partcode: ILSTWHIC065W / Page: 3*

**Environmental**

Lowest Operating Temperature: -20 degrees

Maximum Operating Temperature: 45 degrees

**Packaging**

EAN Barcode (unit of 1): 5055788227915

Packaged Weight (Unit of 1): 855g

Length (unit of 1): 355mm

Width (unit of 1): 220mm

Depth (unit of 1): 40mm

**Outer packaging info available on website**

*Product data last updated on: Monday, August 20, 2018 - 16:44*